<u>Home - Neutron Classes</u>

Chapter No.	Chapter Name	Notes	Q/A	MCQ's
1.	Physical World	Click here	Click here	Click here
2.	Units and Measurement	<u>Click here</u>	<u>Click here</u>	<u>Click here</u>
3.	Motion in Straight line	Click here	Click here	<u>Click here</u>
4.	Motion in a plane	Click here	Click here	<u>Click here</u>
5.	Laws of Motion	Click here	Click here	Click here
6.	Work, Energy and Power	<u>Click here</u>	<u>Click here</u>	<u>Click here</u>
7.	System of Particles and Rotational Motion	r <u>Click here</u> a	/ <u>Click here</u>	<u>Click here</u>
8.	Gravitation	Click here	Click here	Click here
9.	Mechanical Properties of Solids	<u>Click here</u>	<u>Click here</u>	Click here
10.	Mechanical Properties of Fluids	Click here	Click here	Click here
11.	Thermal Properties of Matter	Click here	Click here	Click here
12.	Thermodynamics	Click here	Click here	Click here
13.	Kinetic theory	Click here	Click here	Click here
14.	Oscillation	Click here	Click here	Click here
15.	Waves	Click here	Click here	Click here

For More Study Material

For Class 9 Science	<u>Click here</u>
For Class 9 Mathematics	<u>Click here</u>
For Class 10 Science	<u>Click here</u>
For Class 10 Mathematics	<u>Click here</u>
For Class 11 Physics	<u>Click here</u>
For Class 11 Chemistry	<u>Click here</u>
For Class 11 Biology	<u>Click here</u>
For Class 11 mathematics	<u>Click here</u>
For Class 12 Physics anish Mavi S	<u>Click here</u>
For Class 12 Chemistry	<u>Click here</u>
For Class 12 Biology	<u>Click here</u>
For Class 12 Mathematics	<u>Click here</u>

Chapter 1 Physical World

Science and its origin

Science is a **systematic understanding of natural phenomena** in detail so that it can be **predicted, controlled and modified**. Science involves exploring, experimenting and speculating phenomena happening around us.

- The word Science is derived from a latin verb Scientia meaning 'to know'.
- Scientific method is a way to gain knowledge in a systematic and in-depth way. It involves:
 - Systematic observations
 - Controlled experiments
 - Qualitative and Quantitative reasoning
 - Mathematical modeling
 - o Prediction and verification (or falsification) of theories
 - Speculation or Prediction
- Science does not have any final theory. The improved observations, accurate tools keep improving the knowledge and perspective. Johannes Kepler used Tycho Brahe's research on planetary motion to improve Nicolas Copernicus theory.
- Quantum mechanics was developed to deal with atomic and nuclear phenomena. Work of Ernest Rutherford on nuclear model of atom became basis of quantum theory given by Niels Bohr. Antiparticle theory of Paul Dirac led to the discovery of antielectron (positron) by Carl Anderson.

Natural Sciences

Natural science is a branch of science concerned with the description, prediction, and understanding of natural phenomena, based on observational and empirical evidence. It consists of following disciplines:

- Physics
- Chemistry
- Biology

Physics Mr. Manish Mavi Sir

Physics is a study of basic laws of nature and their manifestation in different natural phenomena. Physics is the study of physical world and matter and its motion through space and time, along with related concepts such as energy and force.

- Word Physics is derived from a Greek word phusiké meaning nature.
- Two principal types of approaches in Physics are:
 - 1. **Unification**: This approach considers all of the world's phenomena as a collection of universal laws in different domains and conditions. Example, law of gravitation applies both to a falling apple from a tree as well as motion of planets around the sun. Electromagnetism laws govern all electric and magnetic phenomena.
 - 2. **Reduction**: This approach is to derive properties of complex systems from the properties and interaction of its constituent parts. Example, temperature studied under thermodynamics is also related to average kinetic energy of molecules in a system (kinetic theory).

Impact and uses of Physics:

- It can explain a phenomena happening over a large magnitude with a simple theory.
- Experiments and observations are used to develop new theories for unidentified phenomena and improve old theories for existing phenomena.
- Development of devices using laws of physics.

Scope of Physics

Scope of Physics is vast as it covers quantities with length magnitude as high as 10^{40} m or more (astronomical studies of universe) and as low as 10^{-14} m or less (study of electrons, protons etc). Similarly the range of time scale goes from 10^{-22} s to 10^{18} s and mass from 10^{-30} kg to 10^{55} kg.

Physics is broadly divided into two types based on its scope - **Classical Physics and Modern Physics**. Classical physics deal with the **macroscopic phenomena** while the modern physics deals with the **microscopic phenomena**.

Macroscopic Domain

Macroscopic domain includes phenomena at large scales like laboratory, terrestrial and astronomical. It includes following subjects:

- Mechanics It is based on Newton's laws on motion and the laws of gravitation. It is concerned with motion/equilibrium of particles, rigid and deformable bodies and general system of particles. Examples,
 - a. Propulsion of rocket by ejecting gases
 - b. Water/Sound waves
 - c. Equilibrium of bent rod under a load
- 2. **Electrodynamics** It deals with electric and magnetic phenomena associated with charged and magnetic bodies. Examples,
 - a. motion of a current-carrying conductor in a magnetic field
 - b. the response of a circuit to an ac voltage (signal)
 - c. the propagation of radio waves in the ionosphere
- 3. **Optics** It deals with phenomena involving light. Examples,
 - a. Reflection and refraction of light
 - b. Dispersion of light through a prism
 - c. Colour exhibited by thin films
- 4. **Thermodynamics** It deals with systems in macroscopic equilibrium and changes in internal energy, temperature, entropy etc. of systems under application of external force or heat. Examples,
 - a. Efficiency of heat engines
 - b. Direction of physical and chemical process

Microscopic Domain

Microscopic domain includes phenomena at minuscule scales like atomic, molecular and nuclear. It also deals with interaction of probes like electrons, photons and other elementary particles. Quantum theory has been developed to handle these phenomena.

Factors responsible for progress of Physics

- Quantitative analysis along with qualitative analysis.
- Application of universal laws in different contexts.
- Approximation approach (complex phenomena broken down into collection of basic laws).
- Extracting and focusing on essential features of a phenomenon.

Hypothesis, Axiom and Models

- a) **Hypothesis** is a supposition without assuming that it is true. It may not be proved but can be verified through a series of experiments.
- b) **Axiom** is a self-evident truth that it is accepted without controversy or question.
- c) **Model** is a theory proposed to explain observed phenomena.
- d) **Assumption** is the basis of physics, where a number of phenomena can be explained. These assumptions are made from experiments, observation and a lot of statistical data.

Technological applications of Physics

Several examples where Physics and its concepts have led to discoveries/inventions are listed below.

- Steam engine was developed from the industrial revolution in eighteenth century.
- Wireless communication was developed after discovery of laws of electricity and magnetism.
- Neuron-induced fission of uranium, done by Hahn and Meitner in 1938, led to the formation of nuclear power reactors and nuclear weapons.
- Conversion of solar, wind, geothermal etc. energy into electricity.

Fundamental Forces in nature

The forces which we see in our day to day life like muscular, friction, forces due to compression and elongation of springs and strings, fluid and gas pressure, electric, magnetic, interatomic and intermolecular forces are **derived forces** as their originations are due to a few fundamental forces in nature.


A few fundamental forces are:

1. **Gravitational Force**: It is the **force of mutual attraction** between any two objects by virtue of their masses. It is a **universal force** as every object experiences this force due to every other object in the universe.




The gravitational force causes the apple to fall as well as planets to revolve around the sun.

2. **Electromagnetic Force**: It is the **force between charged particles**. Charges at rest have electric attraction (between unlike charges) and repulsion (between like charges). Charges in motion produce magnetic force. Together they are called Electromagnetic Force.




The unlike charges attract each other while like charges repel each other. A current carrying wire generates magnetic field around it, giving rise to electromagnetism.

3. **Strong Nuclear Force**: It is the **attractive force between protons and neutrons** in a nucleus.It is charge-independent and acts equally between a proton and a proton, a neutron and a neutron, and a proton and a neutron. Recent discoveries show that protons and neutrons are built of elementary particles, **quarks**.



4. Weak Nuclear Force: This force appears only in certain nuclear processes such as the β -decay of a nucleus. In β -decay, the nucleus emits an electron and an uncharged particle called neutrino. This particle was first predicted by Wolfgang Pauli in 1931.



B-decay of a nucleus.

Below table shows difference between the above forces.

Some elementary particles, particularly electron and

Very short, Sub-nuclearsize neutrino Weak nuclear force

 10^{-13} (-10⁻¹⁶m)

Infinite Electromagnetic force Charged particles

 10^{-2}

Nucleons, heavier

Short, nuclear size (-10⁻¹ Strong nuclear force elementary particles

¹⁵m)

5. **<u>Unification of Forces</u>**: There have been physicists who have tried to combine a few of the above fundamental forces. These are listed in table below.

Name of Physicist Isaac Newton	Year 1687	Achievement in Unification Unified celestial and terrestrial mechanics.
Hans Christian Oersted 1820 and 1830 and Michael Faraday respectively		Unified electric and magnetic phenomena to give rise to electromagnetism.
James Clerk Maxwell	1873	Unified electricity, magnetism and optics to show that light is an electromagnetic wave.
Sheldon Glashow, Abdus Salam, Steven Weinberg	1979 Mr.	Gave the idea of electro-weak force which is a combination of electromagnetic and weak nuclear force.
Carlo Rubia, Simon	1084	Varified the theory of eletro-weak force

Vander Meer

Verified the theory of elctro-weak force. 1984

Conserved Quantities

Physics gives laws to summarize the investigations and observations of the phenomena occurring in the universe.

- o Physical quantities that remain constant with time are called **conserved quantities**. Example, for a body under external force, the kinetic and potential energy change over time but the total mechanical energy (kinetic + potential) remains constant.
- o Conserved quantities can be scalar (Energy) or vector (Total linear momentum and total angular momentum).




A ball in air falling to ground has some Potential energy and zero Kinetic energy. As soon as it touches the ground the potential energy gets converted into kinetic energy. The total Mechanical energy remains same.

Conservation Laws

A **conservation law** is a hypothesis based on observation and experiments which cannot be proved. These can be verified via experiments.

Law of conservation of Energy

- According to the general Law of conservation of energy, the energies remain constant over time and convert from one form to another.
- The law of conservation of energy applies to the whole universe and it is believed that the total energy of the universe remains unchanged.
- o Under identical conditions, the nature produces symmetric results at different time.



Law of conservation of Mass

This is a principle used in analysis of chemical reactions.

- A chemical reaction is basically a rearrangement of atoms among different molecules.
- o If the total binding energy of the reacting molecules is less than the total binding energy of the product molecules, the difference appears as heat and the reaction is **exothermic**.
- o The opposite is true for energy absorbing (endothermic) reactions.
- Since the atoms are merely rearranged but not destroyed, the total mass of the reactants is the same as the total mass of the products in a chemical reaction.
- Mass is related to energy through Einstein theory,

 $E = mc^2$, where c is the speed of light in vacuum

Law of conservation of linear momentum

- Symmetry of laws of nature with respect to translation in space is termed as law of conservation of linear momentum.
- Example law of gravitation is same on earth and moon even if the acceleration due to gravity at moon is 1/6th than that at earth.

La	w of conservation of angular momentum			
0	Isotropy of space (no intrinsically preferred direction in space) underlies the law of conservation of angula momentum.			
	Mr. Manish Mavi Sir			